




# Botanical extracts and nutraceutical ingredients Portfolio 2026



# Cutting edge solutions Ready to sell

## Added value nutraceutical ingredients



MICRO-ENCAPSULATED	HERBAL EXTRACT	CATEGORY											
		<b>VALERIAN</b> <i>Valeriana officinalis</i> L. Portion used Root	• Granulated								✓		

BEST INGREDIENTS	HERBAL EXTRACT	CATEGORY												
		<b>VERBASCOX®</b> <i>Lippia citriodora</i> (Verbena) and <i>Plantago lanceolata</i>	• Granulated					✓						
		<b>PTG Natural Protection</b> <i>Plantago lanceolata</i> , leaf <i>Tilia platyphyllos</i> , flower <i>Grindelia robusta</i> , flower topping	• Granulated	✓										
		<b>ForUEver Young</b> <i>Uncaria tomentosa</i> (Rubiaceae), cortex <i>Embllica officinalis</i> (Phyllanthaceae), fruit	• Granulated		✓						✓			
		<b>PHYTOTOTALITY ELDER</b> <i>Sambucus nigra</i> L. Flower + Berries	• Granulated	✓			✓		✓					
		<b>PHYTOTOTALITY PERILLA</b> <i>Perilla frutescens</i> leaves	• Granulated	✓	✓						✓			
		<b>PHYTOTOTALITY ORTHOSIPHON</b> <i>Orthosiphon stamineus</i> leaves	• Granulated			✓					✓			
		<b>PHYTOTOTALITY SALVIA</b> <i>Salvia officinalis</i> leaves	• Granulated		✓					✓				✓

LIPOSOMES	HERBAL EXTRACT	CATEGORY												
	BERBERIS <i>Berberis SPP</i>	• Liposomal® technology							✓					
	Portion used Bark													
	GLUTATHIONE									✓				
	BLACK PEPPER <i>Piper nigrum L.</i>	• Liposomal® technology		✓										
	Portion used Fruit													
RHODIOLA <i>Rhodiola rosea L.</i>	• Liposomal® technology									✓		✓		
Portion used Root														
IRON & VITAMIN C	• Liposomal® technology							✓					✓	

SHORT SUPPLY CHAIN	HERBAL EXTRACT	CATEGORY												
	PERILLA <i>Perilla frutescens (L.) Britton</i>	• Fluid • Granulated DER: 4:1			✓									
	Portion used Leaf													
	PASSIONFLOWER <i>Passiflora incarnata L.</i>	• Fluid • Granulated 1 - 5% FLAV.			✓						✓			
	Portion used Flower/herb													
	ECHINACEA <i>Echinacea palida (N.)</i>	• Fluid • Granulated 2% ECHIN.		✓		✓	✓							
Portion used Root														
GRINDELIA <i>Grindelia robusta Nutt.</i>	• Fluid • Granulated DER 1:4		✓											
Portion used Flowering top (Herba cum floribus)														
DANDELION <i>Taraxacum officinale Web.</i>	• Fluid • Granulated 2% - 25% INULINA			✓	✓									
Portion used Root														

GRANULAR PLUS	HERBAL EXTRACT	CATEGORY												
	BERBERIS <i>Berberis SPP</i>	• Granulated 85% BERBERINA									✓			
	Portion used Bark													
	SERENOA <i>Serenoa repens (W. Bartram) Small.</i>	• Granulated 5% - 45% AC GRASSI				✓								
	Portion used Fruit													
BOSWELLIA <i>Boswellia serrata Roxb.</i>	• Granulated 30%-90% A.B.					✓		✓						
Portion used Gum Resin														
TURMERIC <i>Curcuma longa L.</i>	• Granulated 20% CURCUM.			✓										
Portion used Rhizome														

# Herbal extracts Portfolio 2026

HERBAL EXTRACT	CATEGORY											
 ADHATODA VASICA <i>Adhatoda vasica</i> Nees Portion used Leaf	<ul style="list-style-type: none"> <li>soft</li> <li>Granulated 0.7% ALCAL.TOT.</li> </ul>	✓										
 ANDROGRAPHIS <i>Andrographis paniculata</i> Nees Portion used Top	<ul style="list-style-type: none"> <li>Powder and granulated 10% ANDR. -</li> <li>95% ANDR.</li> </ul>	✓	✓		✓							
 ARNICA <i>Arnica</i> L. Portion used Flower	<ul style="list-style-type: none"> <li>Fluid</li> </ul>					✓						
 ARTICHOKE <i>Cynara scolymus</i> L. Portion used Leaf	<ul style="list-style-type: none"> <li>Fluid</li> <li>Powder and granulated 2,5%-13% AC. CAFFEILCHINICI</li> </ul>		✓	✓								
 BERBERIS <i>Berberis</i> SPP Portion used Bark	<ul style="list-style-type: none"> <li>Powder 97% BERBERINA</li> </ul>						✓					
 BLACKBERRY <i>Vaccinium myrtillus</i> L. Portion used Berry	<ul style="list-style-type: none"> <li>Fluid</li> <li>Powder and granulated 1% - 25% ANTOC.</li> </ul>		✓	✓					✓		✓	
 BLACKCURRANT <i>Ribes nigrum</i> L. Portion used Leaf / bud	<ul style="list-style-type: none"> <li>Granulated DER: 3:1 - 4:1</li> </ul>	✓										
 BOLDO <i>Peumus boldus</i> M. Portion used Leaf	<ul style="list-style-type: none"> <li>Fluid</li> </ul>		✓									
 BOSWELLIA <i>Boswellia serrata</i> Roxb. Portion used Gum Resin	<ul style="list-style-type: none"> <li>Powder and granulated 30%-90% A.B.</li> </ul>		✓			✓						
 BURDOCK <i>Arctium lappa</i> L. Portion used Root	<ul style="list-style-type: none"> <li>Fluid</li> </ul>			✓								
 CALENDULA <i>Calendula officinalis</i> Portion used Flower	<ul style="list-style-type: none"> <li>Fluid</li> </ul>		✓									
 CALIFORNIA POPPY <i>Eschscholzia californica</i> Charm. Portion used Herb	<ul style="list-style-type: none"> <li>Fluid</li> </ul>						✓					
 CAPSICO <i>Capsicum</i> L. Portion used Fruit	<ul style="list-style-type: none"> <li>Fluid</li> </ul>		✓									



COUGH AND COLD



GASTROENTEROLOGY



DETOX



IMMUNE SYSTEM



ORTHOPEDICS



CARDIOVASCULAR HEALTH



NEUROLOGY MENTAL HEALTH



BEAUTY FROM INSIDE ANTIOXIDANTS



TONICS ADAPTOGENS



EYES HEALTH



WOMEN'S HEALTH

# Herbal extracts Portfolio 2026

HERBAL EXTRACT	CATEGORY											
<b>CARVI</b> <i>Carum carvi</i> L. Portion used Fruit	• Granulated DER: 4:1		✓									
<b>CENTELLA</b> <i>Centella asiatica</i> L. Portion used Leaf	• Fluid • Powder and granulated 3% - 45% TOT TERP.		✓						✓			
<b>CHAMOMILE</b> <i>Matricaria recutita</i> L. Portion used Flower	• Fluid • soft		✓						✓			
<b>COMMON THYME</b> <i>Thymes vulgaris</i> L. Portion used Flower and leaf	• Fluid • Granulated DER: 4:1				✓							
<b>CORIANDER</b> <i>Coriandrum sativum</i> L. Portion used Fruit	• Granulated DER: 4:1		✓							✓		
<b>CRANBERRY</b> <i>Vaccinium macrocarpon</i> Ait Portion used Berries	• Powder and granulated 2,5%-40% uv		✓	✓						✓		✓
<b>DANDELION</b> <i>Taraxacum officinale</i> Web. Portion used Root	• Fluid • Granulated 2% - 25% INULINA		✓	✓								
<b>DAMIANA</b> <i>Turnera diffusa</i> Wild. ex Schult. Portion used Leaf	• Granulated DER: 4:1		✓	✓							✓	
<b>DROSERA</b> <i>Drosera ramentacea</i> Burch. ex DC. Portion used Herb	• soft • Granulated DER: 4:1		✓	✓							✓	
<b>ECHINACEA</b> <i>Echinacea angustifolia</i> DC. Portion used Root	• Fluid • Granulated 0,6% - 4% ECHIN.	✓		✓	✓							
<b>ECHINACEA PALIDA</b> <i>Echinacea Palida</i> (N.) Portion used Root	• Granulated 2% ECHIN.	✓		✓	✓							
<b>ELEUTHEROCOCCUS</b> <i>Eleutherococcus senticosus</i> (Rupr. et Maxim.) Portion used Root	• Fluid • Powder and granulated 0,4% ELEUT							✓		✓	✓	
<b>EUCALYPTUS</b> <i>Eucalyptus globulus</i> Labill Portion used Adults branches leaves	• Fluid	✓										

# Herbal extracts Portfolio 2026

HERBAL EXTRACT	CATEGORY											
 <b>FENNEL</b> <i>Foeniculum vulgare</i> Mill. Portion used Fruit	<ul style="list-style-type: none"> <li>Fluid</li> <li>Granulated 0,5% - 2% O.E.</li> </ul>	✓	✓									
 <b>FENUGREEK</b> <i>Trigonella foenum-graecum</i> L. Portion used Seed	<ul style="list-style-type: none"> <li>Fluid</li> </ul>		✓		✓							
 <b>FERMENTED GOJI</b> <i>Lycium barbarum</i> L. Portion used Fruit puree	<ul style="list-style-type: none"> <li>Granulated</li> </ul>								✓			
 <b>FUCUS</b> <i>Fucus vesiculosus</i> L. Portion used Kelp	<ul style="list-style-type: none"> <li>Fluid</li> </ul>			✓								
 <b>GINKGO BILOBA</b> <i>Ginkgo biloba</i> L. Portion used Leaves	<ul style="list-style-type: none"> <li>Fluid</li> </ul>							✓				
 <b>GINSENG</b> <i>Panax ginseng</i> C.A. Mey. Portion used Root	<ul style="list-style-type: none"> <li>Granulated</li> <li>Powder and granulated 1,5% - 55% GINS.</li> </ul>							✓		✓		
 <b>GINGER</b> <i>Zingiber officinale</i> R. Portion used Rhizome	<ul style="list-style-type: none"> <li>Fluid</li> <li>Powder and granulated 5% GING.</li> </ul>		✓				✓	✓				
 <b>GOLDEN ROD</b> <i>Solidago virgaurea</i> L. Portion used Flowering top	<ul style="list-style-type: none"> <li>Granulated DER: 4:1</li> </ul>	✓		✓								
 <b>GRAPEFRUIT</b> <i>Citrus x parasidi</i> Macfad Portion used Seed	<ul style="list-style-type: none"> <li>Fluid</li> <li>Granulated 2% NARING.</li> </ul>			✓		✓		✓				
 <b>GREEN ANISE</b> <i>Pimpinella anisum</i> L. Portion used Fruit	<ul style="list-style-type: none"> <li>Fluid</li> <li>Granulated DER: 4:1; 0,5% O.E.</li> </ul>	✓	✓									
 <b>GREEN THE</b> <i>camellia sinensis</i> O.ktze Portion used Leaf	<ul style="list-style-type: none"> <li>Fluid</li> </ul>									✓		
 <b>GRINDELIA</b> <i>Grindelia robusta</i> Nutt. Portion used Flowering top (Herba cum floribus)	<ul style="list-style-type: none"> <li>Fluid</li> <li>Granulated DER: 4:1</li> </ul>	✓										
 <b>GUARANÀ</b> <i>Paullinia cupana</i> K. Portion used Seed	<ul style="list-style-type: none"> <li>Fluid</li> <li>Granulated 2,5% - 50% CAFF.</li> </ul>							✓		✓		

# Herbal extracts Portfolio 2026

HERBAL EXTRACT	CATEGORY											
<b>HAWTHORN</b> <i>Crataegus oxyacantha</i> Auct. Portion used Flower and leaves	<ul style="list-style-type: none"> <li>Fluid</li> <li>Granulated 1%-2.5% FLAV.</li> </ul>						✓	✓				
<b>HEATHER</b> <i>Calluna vulgaris</i> (L.) Hull Portion used Flowering top	<ul style="list-style-type: none"> <li>soft</li> <li>Granulated DER: 4:1; 0.6% FLAV</li> </ul>			✓	✓							
<b>HEDGER MUSTARD</b> <i>Sisymbrium officinale</i> Scop. Portion used Flowering top	<ul style="list-style-type: none"> <li>Fluid</li> </ul>	✓										
<b>HELYCHRISUS</b> <i>Helichrysum stoechas</i> Moench Portion used Tops	<ul style="list-style-type: none"> <li>Fluid</li> </ul>			✓								
<b>HIBISCUS</b> <i>Hibiscus Sabdariffa</i> L. Portion used Flower	<ul style="list-style-type: none"> <li>Granulated DER: 4:1</li> </ul>			✓								
<b>HOP</b> <i>Humulus lupulus</i> L. Portion used Flower	<ul style="list-style-type: none"> <li>Fluid</li> </ul>		✓					✓				
<b>HORSE CHESTNUT</b> <i>Aesculus hippocastanum</i> L. Portion used Cortex	<ul style="list-style-type: none"> <li>Fluid</li> <li>Powder 15% - 20% ESC.</li> </ul>	✓		✓								
<b>HORESHERED</b> <i>Marrubium vulgare</i> L. Portion used Flowering top	<ul style="list-style-type: none"> <li>Fluid</li> </ul>	✓										
<b>HONONIDE</b> <i>Ononis spinosa</i> L. Portion used Root	<ul style="list-style-type: none"> <li>Granulated DER: 4:1</li> </ul>			✓								
<b>IVY</b> <i>Hedera helix</i> L. Portion used Leaf	<ul style="list-style-type: none"> <li>Fluid</li> <li>Granulated 1% EDERAG.</li> </ul>	✓										
<b>LAVENDER</b> <i>Lavandula angustifolia</i> Mill. Portion used Flowering tops	<ul style="list-style-type: none"> <li>Fluid</li> </ul>							✓				
<b>LICHEN</b> <i>Cetraria islandica</i> L. Portion used Thallus	<ul style="list-style-type: none"> <li>Fluid</li> <li>Granulated DER: 4:1</li> </ul>	✓	✓									
<b>LICORICE</b> <i>Glycyrrhiza glabra</i> L. Portion used Roots and stolons	<ul style="list-style-type: none"> <li>Fluid</li> </ul>	✓	✓									

# Herbal extracts Portfolio 2026

HERBAL EXTRACT	CATEGORY											
 <b>MARSHMALLOW</b> <i>Althaea officinalis</i> L. Portion used Root	<ul style="list-style-type: none"> <li>Fluid</li> <li>Powder and granulated DER: 4:1-10:1</li> </ul>	✓	✓	✓								
 <b>MAUVE</b> <i>Malva sylvestris</i> L. Portion used Leaf	<ul style="list-style-type: none"> <li>Fluid</li> <li>Granulated DER: 3:1, 4:1</li> </ul>	✓	✓									
 <b>MELILOTO</b> <i>Mellilotus officinalis</i> (L.) Lam. Portion used Herb	<ul style="list-style-type: none"> <li>Fluid</li> </ul>			✓								
 <b>MELISSA</b> <i>Melissa officinalis</i> L. Portion used Leaf	<ul style="list-style-type: none"> <li>Fluid</li> <li>Powder and granulated 2% - 12% AC ROSM.</li> </ul>		✓					✓				
 <b>MILK THISTLE</b> <i>Silybum marianum</i> Gaertn. Portion used Fruit (seed)	<ul style="list-style-type: none"> <li>Fluid</li> <li>Powder and granulated 2% - 80% SILIM.</li> </ul>		✓	✓								
 <b>MYRTLE</b> <i>Myrtus communis</i> L. Portion used Leaf	<ul style="list-style-type: none"> <li>Granulated 25% TANNINI</li> </ul>	✓										
 <b>NETTLE</b> <i>Urtica dioica</i> L. Portion used Leaf	<ul style="list-style-type: none"> <li>Fluid</li> </ul>			✓								
 <b>OLIVE TREE</b> <i>Olea europaea</i> L. Portion used Leaf and fruit	<ul style="list-style-type: none"> <li>Fluid</li> <li>Powder 20% OLEUR.</li> </ul>						✓					
 <b>ORTHOSIPHON</b> <i>Orthosiphon stamineus</i> Benth Portion used Leaf	<ul style="list-style-type: none"> <li>soft</li> <li>Granulated</li> <li>Powder and granulated 0.5% - 1% AC ROSM.</li> </ul>			✓								
 <b>PAPAYA</b> <i>Carica papaya</i> L. Portion used Fruit juice	<ul style="list-style-type: none"> <li>Granulated</li> </ul>				✓							
 <b>PARSLEY</b> <i>Petroselinum crispum</i> (Mill.) Fuss Portion used Leaf	<ul style="list-style-type: none"> <li>Fluid</li> <li>Granulated 1% APIG.</li> </ul>	✓										
 <b>PASSIFLOWER</b> <i>Passiflora incarnata</i> L. Portion used Flower/herb	<ul style="list-style-type: none"> <li>Fluid</li> <li>Granulated 1 - 5% FLAV.</li> </ul>		✓					✓				
 <b>PERILLA</b> <i>Perilla frutescens</i> (L.) Britton Portion used Leaf	<ul style="list-style-type: none"> <li>Fluid</li> <li>Granulated DER: 4:1</li> </ul>		✓									

# Herbal extracts Portfolio 2026

HERBAL EXTRACT	CATEGORY											
<b>PINE</b> <i>Pinus sylvestris</i> L. Portion used Bud	• Fluid	✓										
<b>PINEAPPLE</b> <i>Ananas sativus</i> Schult Portion used Stems and juice	• Granulated		✓	✓								
<b>PLANTAIN</b> <i>Plantago lanceolata</i> L. Portion used Leaf	• Fluid • Granulated DER: 4:1	✓	✓									
<b>POMEGRANATE</b> <i>Punica granatum</i> L. Portion used Whole fruit	• Powder and granulated 7% - 40% ELLAGICO		✓		✓				✓			
<b>PROPOLIS</b> <i>Propolis</i> Portion used Resin	• Fluid • Powder and granulated 1,5% - 5% GALANG.	✓										
<b>PUMPKIN</b> <i>Cucurbita pepo</i> L. Portion used Seed	• Fluid		✓									
<b>RED FERMENTED RICE</b> <i>Oryza sativa</i> L. <i>Monascus purpureus</i> Portion used Seed	• Powder and granulated 1,5% - 5% MONK.						✓					
<b>RED GRAPEVINE</b> <i>Vitis vinifera</i> L. Portion used Seed	• Fluid • Powder and granulated 95% PROCYAN.			✓					✓			
<b>RED POPPY</b> <i>Papaver rhoeas</i> L. Portion used Flower	• Fluid • Granulated DER: 4:1	✓						✓				
<b>RED THE</b> <i>Aspalathus linearis</i> R. Portion used Leaf	• Fluid								✓			
<b>RHODIOLA</b> <i>Rhodiola rosea</i> L. Portion used Root	• Powder and granulated 0.6% - 3% ROSAV. • Liposomal® technology							✓		✓		
<b>ROSEHIP</b> <i>Rosa canina</i> L. Portion used Falsus-fructus	• Fluid • Granulated DER: 4:110% - 70% VIT C		✓		✓							
<b>SAGE</b> <i>Salvia officinalis</i> L. Portion used Leaf	• Soft • Fluid • Granulated DER: 4:1		✓									

# Herbal extracts Portfolio 2026

HERBAL EXTRACT	CATEGORY											
 <b>SEA BUCKTHORN</b> <i>Hippophae rhamnoides</i> L. Portion used Fruit	• Granulated 10% VIT C		✓							✓		
 <b>SERENOA</b> <i>Serenoa repens</i> (W. Bartram) Small. Portion used Fruit	• Fluid • Powder and granulated 5% - 45% AC GRASSI			✓								
 <b>SOY</b> <i>Glycine max</i> (L.) Merr. Portion used Bean	• Fluid • Powder 40% ISOFLAV.						✓					✓
 <b>SPIREA ULMARIA</b> <i>Filipendula ulmaria</i> (L.) Maxim Portion used Flowering top	• Fluid					✓						
 <b>TAMARIND</b> <i>Tamarindus indica</i> L. Portion used Fruit	• Granulated DER: 4:1; 5% AC TART.		✓									
 <b>TURMERIC</b> <i>Curcuma longa</i> L. Portion used Rhizome	• Fluid • Powder 95% HPLC		✓									
 <b>UNCARIA</b> <i>Uncaria tomentosa</i> Wild D.C. Portion used Bark	• Fluid											
 <b>VALERIAN</b> <i>Valeriana officinalis</i> L. Portion used Root	• Fluid • Powder and granulated 0,3% - 0,8% AC. VAL							✓				
 <b>WILD THYME</b> <i>Thymus serpyllum</i> L. Portion used Flower and leaf	• Fluid	✓	✓									
 <b>WITCH HAZEL</b> <i>Hamamelis Gronov. ex</i> L. Portion used Leaf	• Fluid		✓									





**Labiotre S.r.l. Società Benefit**  
Via Renato Gattuso, 6, 50028 Sambuca Val di Pesa  
P- Iva 06141080488  
tel: 055 399 3542  
[www.labiotre.com](http://www.labiotre.com)